

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	32	370/217-225.ccls. and (parallel same ((redundant backup secondary alternat\$3) with path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:17
L3	423	370/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:18
L4	256	370/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:18
L5	187	370/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:18
L6	335	370/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:19
L7	2	LAHTI-HARRI-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:20
L8	0	TORVINEN-MARKO-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:20
L9	0	(parallel same path same data same transmission same cophas\$5 same clock)".clm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:21
L10	1	(parallel same path same data same transmission same error same frame same (rf radio wireless) same clock)".clm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:22

S1	5	polynome with (model\$4 algorithm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 15:21
S4	4	hitless same switch\$3 same buffer same clock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 09:42
S5	392	370/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:17
S7	123	370/217.ccls. and (redundant backup secondary alternat\$3) with path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 14:50
S8	9	370/217.ccls. and (parallel same ((redundant backup secondary alternat\$3) with path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 09:47
S9	29	370/217-225.ccls. and (parallel same ((redundant backup secondary alternat\$3) with path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:17
S10	8	370/252.ccls. and (parallel same ((redundant backup secondary alternat\$3) with path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 10:16
S12	19	("5631898").URPN.	USPAT	OR	OFF	2005/04/12 10:19
S14	1	("5631896").PN.	USPAT	OR	OFF	2005/04/12 14:32
S15	15	("5631896").URPN.	USPAT	OR	OFF	2005/04/12 10:29
S16	31	parallel same ((redundant backup secondary alternat\$3) with path) same clock same phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:01
S17	18	((working primary) with path) same ((redundant protection secondary alternat\$3) with path) same clock same phase	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:04

S18	43	((working primary) with path) same ((redundant protection secondary alternat\$3) with path) same clock same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:05
S19	689	(parallel with data with path) same (working primary redundant protection secondary alternat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:07
S20	116	(parallel with data with path) same (working protection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:12
S21	95	hitless same path same switching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:10
S23	2	hitless same path same parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:11
S25	225	(parallel with path) same transmi\$6 same (working protection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:13
S26	31	(parallel with path) same (data with transmi\$6) same (working protection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:13
S27	207	(parallel with path) same (data with transmi\$6) same (working primary redundant protection secondary alternat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:14
S28	214	(parallel with (route path)) same (data with transmi\$6) same (working primary redundant protection secondary alternat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:27
S29	162	((parallel dual) with (route path)) same (data with transmi\$6) and ((working primary redundant protection secondary alternat\$3) adj (path route))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:41

S31	2	((parallel dual) with (route path)) same (data with transmi\$6) and (indoor with (unit or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/03 07:20
S32	281	((parallel dual) with (route path)) and (indoor with (unit or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:44
S34	110	((parallel dual) with (route path)) and (indoor with (unit or device)) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:03
S35	59	((parallel dual) with (route path)) and (indoor with (unit or device)) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:00
S36	61	((parallel dual) with (route path)) and (indoor with (unit or device)) same (data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:59
S37	212	CRC same polyno\$5 same Error with correction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:53
S38	212	CRC same polynom\$5 same Error with correction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:55
S39	30	CRC same polynom\$5 same multipl\$7 same (Error with correction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:55
S40	59	((parallel dual) with (route path)) and (outdoor with (unit or device)) same (data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 13:59
S41	48	((parallel dual) with (route path)) and ((indoor and outdoor) with (unit or device)) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:00

S42	9	((parallel dual) with (route path)) and (indoor adj (unit device)) and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:03
S43	2586	(phase with lock\$3) same (clock with (select\$4 switch\$4))	USPAT	OR	ON	2005/04/12 14:33
S44	186	(phase with lock\$3) same (clock with (select\$4 switch\$4)) same buffer	USPAT	OR	ON	2005/04/12 14:34
S45	247	wireless with backhaul	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:20
S46	2	redundant with antenna with selection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:20
S47	7	redundant with antenna same selection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 12:38
S48	34	redundant same antenna same selection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:25
S49	2	"6654616".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 10:25
S51	7288	clock with source with (multiplex\$3 switch\$3 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 13:59
S52	90	S51 same (data with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 14:00
S53	4048	clock with source with (select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 14:03

S54	71	S53 same (data with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 14:00
S55	1	S53 same (data with path) same (phase with lock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 14:01
S56	13	S53 same (data with path) same (phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 14:03
S57	9850	clock with source with (select\$3 multiplex\$3 switch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 14:03
S58	88	S57 same (path) same (phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:44
S59	2	"5561661".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 15:02
S60	7	modem same ODU same (Error with correction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:34
S61	2	"5631896".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44
S62	2	"6611942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/14 12:44
S64	31	(elastic adj buffer) same (clock with (selection change lock))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:41

S65	3	(elastic adj buffer) same (clocks with (selection change lock))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:42
S66	6	(elastic adj buffer) same (clocks with (selection change lock mux multiplex\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:43
S67	46	(elastic adj buffer) same (clock with (mux multiplex\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 13:43
S68	2	"6678259".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 13:49
S69	2	"5507035".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 13:49
S70	22	455/8.ccls. and (redundant backup secondary alternat\$3) with path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 14:50
S71	3	455/134.ccls. and (redundant backup secondary alternat\$3) with path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 14:52
S72	17	370/334.ccls. and (redundant backup secondary alternat\$3) with path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 14:52
S73	6	("4083009" "4704734" "5818832" "5822324" "5884181" "6141557").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/02 14:53